


GANG CLAMPING

PACKAGED ASSEMBLIES WITH TWO 316 STAINLESS OR ALUMINUM PLATE/BAR AND 316SS HARDWARE 3 POINT CONTACT

REPLACE LETTER "S" IN PART NUMBERS WITH LETTER "A" FOR ALUMINUM COVER PLATES/BARS

Tubing centers and spacing is optional and can be made to customer request. Replace fraction with desired spacing.

1/4" O.D. TUBE CLAMP ASSEMBLIES (METRIC 5mm-6mm) 3/8" TUBE CENTERS		1/2" O.D. TUBE CLAMP ASSEMBLIES (METRIC 10mm-13mm) 5/8" TUBE CENTERS	
PART NO.	#TUBES	PART NO.	#TUBES
2C-DW-0-1-4-3-2S	1	2C-DW-0-1-8-3-2S	1
2C-DW-3/8-2-4-3-2S	2	2C-DW-5/8-2-8-3-2S	2
2C-DW-3/8-3-4-3-2S	3	2C-DW-5/8-3-8-3-2S	3
2C-DW-3/8-4-4-3-2S	4	2C-DW-5/8-4-8-3-2S	4
2C-DW-3/8-5-4-3-2S	5	2C-DW-5/8-5-8-3-2S	5
2C-DW-3/8-6-4-3-2S	6	2C-DW-5/8-6-8-3-2S	6
2C-DW-3/8-7-4-3-2S	7	2C-DW-5/8-7-8-3-2S	7
2C-DW-3/8-8-4-3-2S	8	2C-DW-5/8-8-8-3-2S	8
2C-DW-3/8-9-4-3-2S	9	2C-DW-5/8-9-8-3-2S	9
2C-DW-3/8-10-4-3-2S	10	2C-DW-5/8-10-8-3-2S	10
2C-DW-3/8-11-4-3-2S	11	2C-DW-5/8-11-8-3-2S*	11
2C-DW-3/8-12-4-3-2S	12	2C-DW-5/8-12-8-3-2S*	12
2C-DW-3/8-13-4-3-2S	13	2C-DW-5/8-13-8-3-2S*	13
2C-DW-3/8-14-4-3-2S*	14	2C-DW-5/8-14-8-3-2S*	14
2C-DW-3/8-15-4-3-2S*	15	2C-DW-5/8-15-8-3-2S*	15
2C-DW-3/8-16-4-3-2S*	16	2C-DW-5/8-16-8-3-2S*	16
2C-DW-3/8-17-4-3-2S*	17	2C-DW-5/8-17-8-3-2S*	17
2C-DW-3/8-18-4-3-2S*	18	2C-DW-5/8-18-8-3-2S*	18
2C-DW-3/8-19-4-3-2S*	19	2C-DW-5/8-19-8-3-2S*	19
2C-DW-3/8-20-4-3-2S*	20	2C-DW-5/8-20-8-3-2S*	20
2C-DW-3/8-21-4-3-2S*	21	2C-DW-5/8-21-8-3-2S**	21
2C-DW-3/8-22-4-3-2S*	22	2C-DW-5/8-22-8-3-2S**	22
2C-DW-3/8-23-4-3-2S*	23	2C-DW-5/8-23-8-3-2S**	23
2C-DW-3/8-24-4-3-2S*	24	2C-DW-5/8-24-8-3-2S**	24
2C-DW-3/8-25-4-3-2S*	25	2C-DW-5/8-25-8-3-2S**	25
		2C-DW-5/8-26-8-3-2S**	26
		2C-DW-5/8-27-8-3-2S**	27
		2C-DW-5/8-28-8-3-2S**	28
		2C-DW-5/8-29-8-3-2S**	29
		2C-DW-5/8-30-8-3-2S**	30



PART NO. 2C-DW-5/8-16-8-3-2S-H8

Tubing/Pipe O.D. Size

Number Legend

1/4" O.D. = 4

3/8" O.D. = 6

1/2" O.D. = 8

3/4" O.D. = 12

1.0" O.D. = 16

1-1/4" O.D. = 20

1-1/2" O.D. = 24

2.0" O.D. = 28

Tubing Spacing

Center to Center

1/4" O.D. = 3/8"

3/8" O.D. = 1/2"

1/2" O.D. = 5/8"

3/4" O.D. = 7/8"

Minimum number of bolt sets/holes included noted by asterisks

none = 2 SETS

* = 3 SETS

** = 4 SETS

*** = 5 SETS

**** = 6 SETS

***** = 7 SETS

***OPTION: FOR PART NUMBERS WITH
ASTERISKS ADD CODE FOR
BOLTING LOCATIONS:**

H2 = BOLT SET FOR EVERY 2 TUBES

H3 = BOLT SET FOR EVERY 3 TUBES

H4 = BOLT SET FOR EVERY 4 TUBES

H5 = BOLT SET FOR EVERY 5 TUBES

H6, ETC.

EX: 2C-DW-5/8-19-8-3-2S-H5

3/8" O.D. TUBE CLAMP ASSEMBLIES
(METRIC 7mm-9mm) 1/2" TUBE CENTERS

PART NO.	#TUBES
2C-DW-0-1-6-3-2S	1
2C-DW-1/2-2-6-3-2S	2
2C-DW-1/2-3-6-3-2S	3
2C-DW-1/2-4-6-3-2S	4
2C-DW-1/2-5-6-3-2S	5
2C-DW-1/2-6-6-3-2S	6
2C-DW-1/2-7-6-3-2S	7
2C-DW-1/2-8-6-3-2S	8
2C-DW-1/2-9-6-3-2S	9
2C-DW-1/2-10-6-3-2S	10
2C-DW-1/2-11-6-3-2S	11
2C-DW-1/2-12-6-3-2S	12
2C-DW-1/2-13-6-3-2S	13
2C-DW-1/2-14-6-3-2S*	14
2C-DW-1/2-15-6-3-2S*	15
2C-DW-1/2-16-6-3-2S*	16
2C-DW-1/2-17-6-3-2S*	17
2C-DW-1/2-18-6-3-2S*	18
2C-DW-1/2-19-6-3-2S*	19
2C-DW-1/2-20-6-3-2S*	20
2C-DW-1/2-21-6-3-2S*	21
2C-DW-1/2-22-6-3-2S*	22
2C-DW-1/2-23-6-3-2S*	23
2C-DW-1/2-24-6-3-2S*	24
2C-DW-1/2-25-6-3-2S*	25
2C-DW-1/2-26-6-3-2S*	26
2C-DW-1/2-27-6-3-2S**	27
2C-DW-1/2-28-6-3-2S**	28
2C-DW-1/2-29-6-3-2S**	29
2C-DW-1/2-30-6-3-2S**	30

CHANGE 7/8" TO 1-1/4" FOR 1/2" SPACING BETWEEN 3/4" TUBING

3/4" O.D. TUBE/PIPE CLAMP ASSEMBLIES
(METRIC 14mm-19mm) 1-1/4" TUBE CENTERS

PART NO.	#TUBES
2C-DW-1 1/4-2-12-3-2S	2
2C-DW-1-1/4-3-12-3-2S	3
2C-DW-1-1/4-4-12-3-2S	4
2C-DW-1-1/4-5-12-3-2S	5
2C-DW-1 1/4-6-12-3-2S*	6
2C-DW-1 1/4-7-12-3-2S*	7
2C-DW-1 1/4-8-12-3-2S*	8
2C-DW-1 1/4-9-12-3-2S*	9
2C-DW-1 1/4-10-12-3-2S*	10
2C-DW-1 1/4-11-12-3-2S**	11
2C-DW-1 1/4-12-12-3-2S**	12

3/4" O.D. TUBE/PIPE CLAMP ASSEMBLIES
(METRIC 14mm-19mm) 7/8" TUBE CENTERS

PART NO.	#TUBES
2C-DW-0-1-12-3-2S	1
2C-DW-7/8-2-12-3-2S	2
2C-DW-7/8-3-12-3-2S	3
2C-DW-7/8-4-12-3-2S	4
2C-DW-7/8-5-12-3-2S	5
2C-DW-7/8-6-12-3-2S	6
2C-DW-7/8-7-12-3-2S	7
2C-DW-7/8-8-12-3-2S	8
2C-DW-7/8-9-12-3-2S*	9
2C-DW-7/8-10-12-3-2S*	10
2C-DW-7/8-11-12-3-2S*	11
2C-DW-7/8-12-12-3-2S*	12
2C-DW-7/8-13-12-3-2S**	13
2C-DW-7/8-14-12-3-2S**	14
2C-DW-7/8-15-12-3-2S**	15
2C-DW-7/8-16-12-3-2S**	16
2C-DW-7/8-17-12-3-2S**	17
2C-DW-7/8-18-12-3-2S**	18
2C-DW-7/8-19-12-3-2S***	19
2C-DW-7/8-20-12-3-2S***	20
2C-DW-7/8-21-12-3-2S***	21
2C-DW-7/8-22-12-3-2S***	22
2C-DW-7/8-23-12-3-2S***	23
2C-DW-7/8-24-12-3-2S***	24
2C-DW-7/8-25-12-3-2S****	25
2C-DW-7/8-26-12-3-2S****	26
2C-DW-7/8-27-12-3-2S****	27
2C-DW-7/8-28-12-3-2S****	28
2C-DW-7/8-29-12-3-2S****	29
2C-DW-7/8-30-12-3-2S****	30
2C-DW-7/8-31-12-3-2S*****	31
2C-DW-7/8-32-12-3-2S*****	32
2C-DW-7/8-33-12-3-2S*****	33
2C-DW-7/8-34-12-3-2S*****	34
2C-DW-7/8-35-12-3-2S*****	35
2C-DW-7/8-36-12-3-2S*****	36

3/4" O.D. TUBE/PIPE CLAMP ASSEMBLIES
(METRIC 14mm-19mm) 1-1/4" TUBE CENTERS

PART NO.	#TUBES
2C-DW-1 1/4-13-12-3-2S***	13
2C-DW-1-1/4-14-12-3-2S***	14
2C-DW-1-1/4-15-12-3-2S***	15
2C-DW-1-1/4-16-12-3-2S***	16
2C-DW-1 1/4-17-12-3-2S***	17
2C-DW-1 1/4-18-12-3-2S****	18
2C-DW-1 1/4-19-12-3-2S****	19
2C-DW-1 1/4-20-12-3-2S****	20
2C-DW-1 1/4-21-12-3-2S****	21
2C-DW-1 1/4-22-12-3-2S*****	22
2C-DW-1 1/4-23-12-3-2S*****	23



Minimum number of bolt sets included noted by asterisks

- none = 2 SETS
- * = 3 SETS
- ** = 4 SETS
- *** = 5 SETS
- **** = 6 SETS
- ***** = 7 SETS

***OPTION: FOR PART NUMBERS WITH ASTERISKS ADD CODE FOR BOLTING LOCATIONS**

- H2** = BOLT SET FOR EVERY 2 TUBES
- H3** = BOLT SET FOR EVERY 3 TUBES
- H4** = BOLT SET FOR EVERY 4 TUBES
- H5** = BOLT SET FOR EVERY 5 TUBES
- H6, ETC.**

EX: 2C-DW-7/8-35-12-3-2S-H5

1" O.D. TUBE/PIPE CLAMP ASSEMBLIES

(METRIC 20mm-26mm) 1-1/8" TUBE CENTERS

PART NO.	#TUBES
2C-DW-0-1-16-3-2S	1
2C-DW-1 1/8-2-16-3-2S	2
2C-DW-1 1/8-3-16-3-2S	3
2C-DW-1 1/8-4-16-3-2S	4
2C-DW-1 1/8-5-16-3-2S	5
2C-DW-1 1/8-6-16-3-2S	6
2C-DW-1 1/8-7-16-3-2S	7
2C-DW-1 1/8-8-16-3-2S	8
2C-DW-1 1/8-9-16-3-2S*	9
2C-DW-1 1/8-10-16-3-2S*	10
2C-DW-1 1/8-11-16-3-2S*	11
2C-DW-1 1/8-12-16-3-2S*	12
2C-DW-1 1/8-13-16-3-2S*	13
2C-DW-1 1/8-14-16-3-2S*	14
2C-DW-1 1/8-15-16-3-2S**	15
2C-DW-1 1/8-16-16-3-2S***	16
2C-DW-1 1/8-17-16-3-2S**	17
2C-DW-1 1/8-18-16-3-2S**	18
2C-DW-1 1/8-19-16-3-2S***	19
2C-DW-1 1/8-20-16-3-2S***	20
2C-DW-1 1/8-21-16-3-2S**	21
2C-DW-1 1/8-22-16-3-2S***	22
2C-DW-1 1/8-23-16-3-2S***	23
2C-DW-1 1/8-24-16-3-2S***	24
2C-DW-1 1/8-25-16-3-2S****	25
2C-DW-1 1/8-26-16-3-2S****	26
2C-DW-1 1/8-27-16-3-2S****	27
2C-DW-1 1/8-28-16-3-2S*****	28

1- 1/4" O.D. TUBE CLAMP ASSEMBLIES

1.5" TUBE CENTERS

PART NO.	#TUBES
2C-DW-0-1-20-3-2S	1
2C-DW-1 1/2-2-20-3-2S	2
2C-DW-1 1/2-3-20-3-2S	3
2C-DW-1 1/2-4-20-3-2S	4
2C-DW-1 1/2-5-20-3-2S	5
2C-DW-1 1/2-6-20-3-2S*	6

Minimum number of bolt sets included noted by asterisks

none = 2 SETS
 * = 3 SETS
 ** = 4 SETS
 *** = 5 SETS
 **** = 6 SETS
 ***** = 7 SETS
 ***** = 8 SETS

***OPTION: FOR PART NUMBERS WITH ASTERISKS ADD CODE FOR BOLTING LOCATIONS**

H2 = BOLT SET FOR EVERY 2 TUBES
H3 = BOLT SET FOR EVERY 3 TUBES
H4 = BOLT SET FOR EVERY 4 TUBES
H5 = BOLT SET FOR EVERY 5 TUBES
H6, ETC.

EX: 2C-DW-1 1/8-30-16-3-2S-H3



Tubing/Pipe O.D. Size Number Legend

1.0" O.D. = 16
1-1/4" O.D. = 20
1-1/2" O.D. = 24
2.0" O.D. = 28

REPLACE 1-1/8" WITH 1-1/2" FOR 1/2" SPACING BETWEEN 1" TUBING

1" - 1.1" O.D. TUBE/PIPE CLAMP ASSEMBLIES

(METRIC 20mm-28mm) 1-1/2" TUBE CENTERS

PART NO.	#TUBES
2C-DW-1 1/2-2-16-3-2S	2
2C-DW-1 1/2-3-16-3-2S	3
2C-DW-1 1/2-4-16-3-2S	4
2C-DW-1 1/2-5-16-3-2S	5
2C-DW-1 1/2-6-16-3-2S*	6
2C-DW-1 1/2-7-16-3-2S*	7
2C-DW-1 1/2-8-16-3-2S*	8
2C-DW-1 1/2-9-16-3-2S**	9
2C-DW-1 1/2-10-16-3-2S*	10
2C-DW-1 1/2-11-16-3-2S**	11
2C-DW-1 1/2-12-16-3-2S**	12
2C-DW-1 1/2-13-16-3-2S**	13
2C-DW-1 1/2-14-16-3-2S**	14

2C-DW-1 1/2-15-16-3-2S**	15
2C-DW-1 1/2-16-16-3-2S***	16
2C-DW-1 1/2-17-16-3-2S**	17
2C-DW-1 1/2-18-16-3-2S**	18
2C-DW-1 1/2-19-16-3-2S***	19
2C-DW-1 1/2-20-16-3-2S***	20
2C-DW-1 1/2-21-16-3-2S***	21
2C-DW-1 1/2-22-16-3-2S****	22
2C-DW-1 1/2-23-16-3-2S***	23
2C-DW-1 1/2-24-16-3-2S***	24
2C-DW-1 1/2-25-16-3-2S****	25
2C-DW-1 1/2-26-16-3-2S*****	26
2C-DW-1 1/2-27-16-3-2S*****	27

1- 1/2" O.D. TUBE/PIPE CLAMP ASSEMBLIES
TUBE CENTERS, 1/2" SPACING BETWEEN INCLUDES
BOLT SET FOR EVERY TWO AND 3 TUBES

2"

2.0" O.D. TUBE/PIPE CLAMP ASSEMBLIES
2-1/2" TUBE CENTERS, 1/2" SPACING BETWEEN
INCLUDES BOLT SET FOR EVERY TWO AND 3 TUBES

PART NO.	#TUBES
2C-DW-0-1-24-3-2S	1
2C-DW-2-2-24-3-2S	2
2C-DW-2-3-24-3-2S	3
2C-DW-2-4-24-3-2S	4
2C-DW-2-5-24-3-2S	5
2C-DW-2-6-24-3-2S	6
2C-DW-2-7-24-3-2S	7
2C-DW-2-8-24-3-2S	8
2C-DW-2-9-24-3-2S	9
2C-DW-2-10-24-3-2S	10
2C-DW-2-11-24-3-2S	11
2C-DW-2-12-24-3-2S	12
2C-DW-2-13-24-3-2S	13
2C-DW-2-14-24-3-2S	14
2C-DW-2-15-24-3-2S	15
2C-DW-2-16-24-3-2S	16
2C-DW-2-17-24-3-2S	17
2C-DW-2-18-24-3-2S	18
2C-DW-2-19-24-3-2S	19
2C-DW-2-20-24-3-2S	20

PART NO.	#TUBES
2C-DW-0-1-28-3-2S	1
2C-DW-2 1/2-2-28-3-2S	2
2C-DW-2 1/2-3-28-3-2S	3
2C-DW-2 1/2-4-28-3-2S	4
2C-DW-2 1/2-5-28-3-2S	5
2C-DW-2 1/2-6-28-3-2S	6
2C-DW-2 1/2-7-28-3-2S	7
2C-DW-2 1/2-8-28-3-2S	8
2C-DW-2 1/2-9-28-3-2S	9
2C-DW-2 1/2-10-28-3-2S	10
2C-DW-2 1/2-11-28-3-2S	11
2C-DW-2 1/2-12-28-3-2S	12
2C-DW-2 1/2-13-28-3-2S	13
2C-DW-2 1/2-14-28-3-2S	14
2C-DW-2 1/2-15-28-3-2S	15
2C-DW-2 1/2-16-28-3-2S	16
2C-DW-2 1/2-17-28-3-2S	17
2C-DW-2 1/2-18-28-3-2S	18
2C-DW-2 1/2-19-28-3-2S	19
2C-DW-2 1/2-20-28-3-2S	20

Tubing/Pipe O.D. Size
Number Legend

- 1.0" O.D. = 16
- 1-1/4" O.D. = 20
- 1-1/2" O.D. = 24
- 2.0" O.D. = 28

*Includes a bolt set for every two and three tubes.